## INDUSTRIAL ENCLOSURES BY TRICEL






IP43 DOUBLE DOOR KIOSK 1000 x 1000 x 300MM COMPLIES TO IEC 6228 STOCK CODE: 102217




### IP43 DOUBLE DOOR KIOSK









Door locking mechanism must not be interfered with.



Example: double door kiosk

### INTERNAL DIMENSIONS & CAPACITY

Dimensions: 971mm high x 428mm wide x 240mm deep Capacity: 0.099m3 per section, total capacity 0.199m3

#### SPECIFICATION & KEY FEATURES

- Made from fiberglass reinforced polyester
- · Weight: 43 kg
- · No. doors: 2
- Colour: Grey Ral7035
- Fire Retardant: self-extinguishing 960 degrees test. Halogen free.
- Electromagnetic compatible: double insulation. No electrical contact risks.
- IP43 Kiosk
- IEC6228 certified
- · Suitable for indoor or outdoor use
- Triple lock system for added security and maintaining IP rating
- 180 degrees door opening
- · UV resistant, ideal for inclement weather conditions
- · Easy to install in the ground with a pedestal, in concrete, on tarmac or attached to machinery.

### **ENVIRONMENTAL PERFORMANCE**

- Minimum temperature -30°C
- Maximum temperature +70°C
- · Compression resistance 100 Kg
- IP43 weather protection
- Impact protection degree IK10



\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

TRICEL UK

Tel: +44 (0)1453 791616 Tel: +353 (0)64 663 2421

Registered number 02868648

Registered number IE 075014

TRICEL IRL

### IP43 DOUBLE DOOR KIOSK COMPLIES TO IEC 6228

### INDUSTRIAL

# **TECHNICAL**

#### ELECTRICAL PERFORMANCE

- Nominal tension direct current up to 1500Vdc
- Nominal tension alternative current up to 1000Vac

#### INSTALLATION AND ASSEMBLY

- · Inside installation
- Outdoor installation
- Floor mounting
- Pesdestal mounting
- Product supplied assembled

### ASSOCIATED PRODUCTS



**BLACK HOCKEY** STICK (EC1001)



WHITE HOCKEY STICK (EC1002)



BACKPLATE (102653) 2 REQUIRED



PEDESTAL (102214) 2 REQUIRED

